

#### **SCREENING STANDARDS**

Commercial Tenant Improvement
Alterations & Additions
INDEX 1

Applicant Services Center 700 Fifth Avenue, Suite 2000 P. O. Box 34019 Seattle, WA 98124-4019

**Phone:** (206) 684-8850 **Hours:** M/W/F, 7:30am-5:30pm; T/Th, 10:30am-5:30pm

## **Commercial T.I. - General Responsibilities**

<u>Screening Responsibilities:</u> These standards are all required for a complete application and prior to routing for a review, but individually, are not a reason to reject an application. The screener must look at all aspects of a project submittal and determine whether the combination of missing items can be added during the intake time constraints.

"Project stoppers" are corrections that require a substantial redesign.

**Applicants** are responsible for insuring that their submittal meets this checklist and standards prior to intake. The limited time of intake is not intended for applicants to complete their application materials.

<u>O/S Screener</u>: In coordination with the LU Screener is responsible for the Project Description, the Land Use Considerations from the checklist, and verifying the Legal Description matches the legal description approved by addressing. Also, responsible to verify plans and submittals are complete for building, energy/mechanical reviews, building code items:

- Stories and basements,
- Type of construction,
- Occupancy groups,
- Identifying change of Occupancy from last permitted occupancy,
- Construction Considerations from the checklist,
- Accessibility Considerations,
- Fees.
- Identifying review locations,
- O/S IP hours

<u>LU Screener</u>: In coordination with the O/S Screener is responsible for the Land Use Considerations from the checklist, Project Description and verifying the legal description matches the legal description approved by addressing. Responsible for checking ArcView map to verify zoning and site characteristics:

- Locations of structure(s),
- Identifying change of use from last permitted Use
- Parking layout,
- Zoning overlays, and adjacent zoning,
- Completeness of plans and submittals for Zoning Review including easements, No Protest Agreement, etc.
- Use per Land Use Code,
- Land Use review locations,
- Zoning IP hours,

Revised 2/24/04 Page 1 of 14

## **Commercial T.I. - General Requirements Overview**

## **Screening Overview (SCOPING):**

#### **Cover Sheet Completed**

- Project Address matches the Address assigned by DPD
- <u>All</u> portions of Cover Sheet completed including contact information, related projects, zone and proposed uses, building data, construction value, fire protection, and where information is indicated on the plans, Energy/Mechanical Code Compliance information, parking information, etc.

#### Project matches addressing review

- Legal description matches legal description reviewed by Addressing
- Plot Plan matches Plot Plan reviewed by Addressing
- Address on all sheets match DPD Project Address

#### Plot Plan, and Floor Plan agree

#### All Plans and Notes Indicated in Screening Checklist are Included

#### Plans are Microfilmable:

- Good contrast
- Minimum 1/8 inch lettering (if handwritten)
- Minimum 1/8<sup>th</sup> inch or 1:10 for plot plan
- Minimum ¼ inch for all plans

#### **Plans Required:**

Four (Five for restaurants) Identical sets of plans with complete coversheets and stapled

#### Structural Calculations included if project is engineered

#### **Forms Completed:**

- Financial Responsibility Form
- Contact Disclosure Form
- Equipment Sizing Calculations

Revised 2/24/04 Page 2 of 14

## **ARCHITECTURAL PLANS**

Basic Plot Plan – Provide the following if there is an addition, change to site, parking or landscaping

OCITO	<u>ral Information</u>
	Project site address
$\bowtie$	Scale 1" = 10' or 1/8" = 1'
$\boxtimes$	Legal description(s) (Include easement legal description and recording number)
$\overline{\boxtimes}$	King County Assessor's Parcel Number (APN)
$\overline{\boxtimes}$	North arrow
Stree	t and alley information
X	Names and width of adjacent streets
Ħ	Street and Alley right-of-way width
Ħ	Location of new street trees
Deve	lopment Information
M	Dimension all portions of structure(s)
Ħ	Dimension distances from structures to property lines
	Dimension distances between structures on property.
	Building Identifier (if more than one building on site)
	Label and dimension surface parking spaces, driveways (if change to parking)
	Show Barrier Free Parking with Aisles
	Angle of Parking (if change in parking)
Tona	Show and identify landscaping (if new landscaping proposed)  nt and exiting information
M	Tenant location in structure
$-1 \wedge 1$	
	Indicate exits to public way
	Indicate door swing of exits
Scho	Indicate door swing of exits
altera	Indicate door swing of exits  ematic Property / Tenant information Plan – Provide the following if interior cions only, no change to site or right-of-way
altera	Indicate door swing of exits  matic Property / Tenant information Plan – Provide the following if interior ions only, no change to site or right-of-way  ral Information
altera	Indicate door swing of exits  matic Property / Tenant information Plan – Provide the following if interior cions only, no change to site or right-of-way  mal Information  Project site address
altera	Indicate door swing of exits    Indicate door swing of exits
altera	Indicate door swing of exits    Indicate door swing of exits
altera	Indicate door swing of exits    Indicate door swing of exits
Gene	Indicate door swing of exits    Property / Tenant information Plan - Provide the following if interior close only, no change to site or right-of-way    Project site address
Gene	Indicate door swing of exits    Indicate door swing of exits
Gene	Indicate door swing of exits    Indicate door swing of exits
Gene Stree	Indicate door swing of exits  cmatic Property / Tenant information Plan – Provide the following if interior tions only, no change to site or right-of-way  ral Information Project site address To Scale Legal description(s) (Include easement legal description and recording number) King County Assessor's Parcel Number (APN) North arrow  t and alley Information Names of adjacent streets Location of alleys
Gene Stree	Indicate door swing of exits    Commutation   Property   Tenant information   Provide the following if interior   Project site of interior
Gene Stree	Indicate door swing of exits    Property / Tenant information Plan - Provide the following if interior ions only, no change to site or right-of-way    Project site address
Gene S	Indicate door swing of exits    Indicate door swing of exits
Gene S	Indicate door swing of exits    Indicate door swing of exits
Gene S	Indicate door swing of exits    Indicate door swing of exits
Stree  Tena	Indicate door swing of exits    Indicate door swing of exits
Stree  Tena	Indicate door swing of exits    Indicate door swing of exits

Revised 2/24/04 Page 3 of 14

Demolitio	n Plan - May be included on Floor Plan
Req Prov	Show all items to be demolished
	Indicate bearing walls, columns and shear walls
	Show removal of ceilings
	Show all existing items to remain
	ural Notes (Unless specified on details or framing and floor plans)
Req Prov Architectur	al Notes
Architectur	Code Edition (Such as year, including amendments)
	Fire proofing notes
	Alarm required
	Fire protection systems
	Elevator notes (if new)
<b>Mechanica</b>	
	Code Edition (Such as year, including amendments)
	Mechanical equipment schedule (if changed or new)
<b>Energy Not</b>	
	Code Edition (Such as year, including amendments) Identify compliance path (if changed)
	Envelope Summary for Energy Code Compliance (if changed)
	Identify heat source (if new or changes to envelope)
	Notes and Documentation
Land USE	Notes and Documentation
	g notes and calculations are required to demonstrate compliance with the Land Use
Code. Dime	ensions and documentation on plans should clearly support your calculations.
Structure F	l <mark>eight</mark>
	Identify maximum structure height allowed
	Identify proposed structure height
	Identify exceptions used (i.e. pitched roof, rooftop features, sloped lot height
Cloning lot	bonus, mixed use exceptions) height bonus documentation (calculate to nearest inch)
Sloping lot	Show calculations for average elevation of low grade wall
	Show calculations for average elevations of high grade wall
	Show calculations for difference between average high and average low
	elevations
	Identify distance between average low point and average high point
	Show calculations for slope on lot (difference in average elevations divided by
	distance between these points.)
Light and C	Show calculations for additional height allowed (slope of lot divided by .06)
Light and C	
	Identify height of exterior lighting on poles  Note "Interior lighting of parking garages shall be shielded to minimize nighttime
	glare from affecting nearby uses".
	Identify areas to be screened (i.e. parking areas, recycling areas, interior garage
	lighting, etc.)

Revised 2/24/04 Page 4 of 14

# **Parking Information**

	COMMERCIAL TENANT IMPROVEMENTS - TENANT AREA AND	PARKING
• -	REMENT ARE IDENTICAL	
Req	Identify existing use (Verify with DPD Microfilm records) Identify area (in square feet) of existing use Identify parking requirements for existing use (i.e. 1 space per 350 squal dentify proposed use Identify area (in square feet) of proposed use Identify parking requirements for proposed use (i.e. 1 space per 350 square feet)	,
Note:	f parking requirement is identical, no further information is required on plans	uare reer,
FOR C	OMMERCIAL TENANT IMPROVEMENTS INVOLVING A CHANGE OF USE With different parking requirements Change in tenant area	
Gener	al Information	
	<ul> <li>Identify all exiting uses (existing per permit history)</li> <li>Identify area (in square feet) of each existing use</li> <li>Identify parking requirements for each existing use (i.e. 1 space per feet)</li> </ul>	350 square
	Parking calculations for all existing uses in building utilizing appropriate Identify all proposed uses (uses per Land Use Code) Identify area (in square feet) of each proposed use Identify parking requirements for each proposed use (i.e. 1 per 200 square feet) Identify parking deficit Parking calculations for all uses in building utilizing appropriate deficits	uare feet)
	ional parking required	
	Fully dimensioned site plan showing all on-site parking spaces Width and depth of parking stalls dimensioned Parking angle identified Parking aisles dimensioned Barrier Free Parking and aisles shown	
	Driveways shown and dimensioned	
	Identify driveway slope	
	Curbcuts shown and dimensioned	
	te parking is proposed  Fully dimensioned site plan for off site parking, showing all parking spaces Covenant parking spaces identified on site plan for off site parking Parking Covenant completed with legal descriptions of both sites it reduction is proposed Show location of transit stops for bus	aces on site
	Indicate distance from property line(s) to transit stops Include a copy of bus schedule(s)	

Revised 2/24/04 Page 5 of 14

# **Code Analysis**

Req	Prov	
$\boxtimes$		Construction type
$\boxtimes$		Number of stories
		Allowable area Calculations/Mixed occupancy ratio
		Type of Sprinkler Systems provided
		Fire Alarm provided
	П	Height Calculations
$\overline{\boxtimes}$	一	Type of Occupancy
	П	FAR Calculations
$\square$	一	Egress/Exiting Analysis
	П	Stair/Elevator shaft Pressurization requirement or lobby requirements
Ħ	П	High-Rise provisions if applicable
$\square$	П	Accessibility Conformance
	П	Development Standard departure(s) approved through design review process
	H	Height above lowest Fire Department Access
	H	Occupant load of common areas including roof decks
Acce	ssibi	lity Analysis
		Total number of parking spaces
	H	Number of Barrier Free parking spaces provided
	Н	Identify area of evacuation assistance
$\square$	H	Path of travel to commercial spaces
	Н	Van stall location(s)
		` '
wea	ns o	f Egress / Exiting Plan
$\boxtimes$		Occupant load calculations
$\boxtimes$		Show exit door (and swing) for each room
		Rating of corridors, and stairs including doors
		Show hallways and/or non-rated corridors
		Show and dimension exit separation
		Identify horizontal exits and refuge areas
		Identify exit passageways/enclosures
		Show building exits (for change of occupancy)
		Show swing of building exit doors (for change of occupancy)
		Width of corridors and stairways
Floo	r Pla	ans
Gene	ral In	nformation
M		North arrow
	H	Microfilmable lettering and plan quality
X	H	Label floor level (1 <sup>st</sup> , 2 <sup>nd</sup> , basement, etc.)
X	H	Use of each room
	H	If framing is shown, identify which floor level framing
		Reference call outs for cross sections and details
		resolution of the order of the order of the details

Revised 2/24/04 Page 6 of 14

<u>Floor</u>	<u>plan i</u>	<u>nformation</u>
$\boxtimes$		Overall dimensions (exterior wall to exterior wall)
$\boxtimes$		Overall dimensions of tenant space
		Location and dimensions of hallways, corridors, rooms, foyers, elevator lobbies,
		etc. of area of work or area influenced by the project
$\boxtimes$		Location of walls and reference to details (Wall type's legend indicating
		construction type, fire rating, etc).
$\boxtimes$		Identify partial height walls
	H	Show moveable partitions
		Location of interior and exterior doors, windows and relites
		Show direction of all door swings
		Dimension door size
		Distance from door to adjacent walls (latch side for accessibility)
		Identify and fully dimension accessible restrooms (layout and full accessibility
		dimensions may be shown on separate plan if restrooms are altered or new)
		Show location of equipment (batteries, cooking equipment, medical, racks,
		cabinets, counters, paint spray booths, electrical cabinetry etc.)
		Show location of medical gas storage
		Indicate location of kitchen or other venting hoods
		Show and dimension decks, landings, etc.
		Indicate location of ramps and their slope
$\boxtimes$		Location of exit signs and exit pathway lighting
		Indicate location of mezzanines (separate dimensioned floor plan for mezzanine
		required)
<b>Stair</b>	<u>inform</u>	
Stair	inform	
Stair	inform	nation
Stair	inform	Locate stairs
Stair	inform	Locate stairs Dimension width and length of landing
Stair		Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information
Stair i		Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information
		Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height
		Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information
Heal	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service
Heal		Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service
Heal	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  Identify and dimension fixed seating
Heal	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area
Heal	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables
Heal	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways
Heal	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating
Healt	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel
Healt	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel
Healt	th De	Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel  1 Food Service Show sinks
Healt	th De	Locate stairs  Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as  Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel  Food Service Show sinks Show refrigeration equipment
Healt	th De	Locate stairs  Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as  Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel  Food Service Show sinks Show refrigeration equipment Indicate stoves, ovens and other cooking equipment
Healt	th De	Locate stairs  Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as  Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel  Food Service Show sinks Show refrigeration equipment Indicate stoves, ovens and other cooking equipment Indicate dishwasher
Healt	th De	Locate stairs  Dimension width and length of landing Indicate rise and run Show handrail information Show guardrail information Show headroom height  partment Information for Food Service  as  Identify and dimension fixed seating Identify and dimension seating area Show location of chairs and tables Dimension aisle ways Show wheelchair seating Show accessible route of travel  Food Service Show sinks Show refrigeration equipment Indicate stoves, ovens and other cooking equipment

Revised 2/24/04 Page 7 of 14

Commercial TI Alt & Add

Roo	f Plan		Index 1
	Prov	Indicate slope, drainage, and overflow Locate area separation walls Locate and dimension all roof openings Locate skylights Show extent of roof decks, if any Dimension and locate all roof top mechanical equipment mechanical penthouses Locate draft stops Locate attic access	elevator, stair and
		Views – Provide the following (If change to exterior of structure)	
		Microfilmable lettering and plan quality Show and label north, south, east, and west elevation views Indicate exterior materials (for Special Review District, Landa Review) Show and dimensions exterior architectural features Location of doors and windows	mark, or prior Design
Α " <b>B</b> ι	<b>uilding</b> dation	Section - Provide the following  Section" is a cross-sectional view (exterior wall to exterior wathrough roof), intended to illustrate the vertical relationship of the Microfilmable lettering and plan quality  Reference call-outs to construction details.  Show floor-to-floor height above and below Mezzanines.  Illustrate unusual conditions (unusual ceiling configurations, e Show energy code information such as insulation if changes unheated space to heated space, or changes to building envelocate property lines  Show retaining walls or extent of shoring if used Illustrate mixed construction conditions (total height of the building the occupancy separation, specify all occupancies, separation, specify all occupancies, separation, specify all occupancies.	tc.) from semi heated or lope
Stair	Sectio	construction Show existing and finished grade Show wall, footing and under slab drains Provide parapet framing details, dimension height	
		Guardrail information (grasp requirements, extensions, and rec Guardrail information (height and spacing of intermediate rails Fire protection under stair (if enclosed)	•

Revised 2/24/04 Page 8 of 14

IA	21	ck	. /	E,	٠,	
~	au				JI	_

- 1. Floor plans must show the location of the section cut and reference the Building Section.
- When multiple conditions are proposed and clarity is critical in order to show code compliance (such as unusual ceiling conditions), multiple building sections or partial sections may be appropriate.
- 3. Detailed information, such as a stair section, may be on the Building Section as long as the proposal is <u>clear</u>.

Typic	cal Wall Section (extending from roof/ceiling assembly to floor/ceiling assembly)
Roof	
	Framing Members
	Insulation R-value
	Sheathing
Ceilin	g Detail
	Distance from ceiling to floor and roof assembly above
	Seismic bracing
Wall E	
Interio	or walls and partitions
	Size and grade, type and number of top and bottom plates
	Size, grade, type, and spacing of studs
	Sheathing, including Fire resistive assembly
	Height of wall or partition
	Connection or bracing at ceiling and floor
Exteri	or Walls
	Size and type of wall material
	Size, grade, type and number of top and bottom plates
	Size, grade, type, and spacing of studs
	Store front and or Window framing
	Exterior side: Siding, weather protection, structural sheathing (thickness and
	material); Veneer type (brick, stone) thickness, and attachment. Fire resistive
	assembly if appropriate.
	Interior side: Insulation R-value and type; Wall covering material and thickness
	(usually gypsum wall board)
<u>Floor</u>	<u>Detail</u>
	Sheathing material, thickness and connection
	Show structural members and their connections
	Foundation information or reference to separate detail
Refle	ected Ceiling Plan
	Construction information
	Show areas where there are dropped ceilings, soffits, custom designed ceilings
	Location of lights
	Lighting schedule
	Location of exit lights (should be on floor plan)
П	Reference call outs for cross sections and details
Ī	Seismic bracing detail if not on Details Page

Revised 2/24/04 Page 9 of 14

		maex 1	
Door	Window Schedule		
	Provide fire ratings, U-Values, type, size and special hardwa	re	
added indica	Construction Details – Provide the following for all structural elements modified or added including walls, permanent partitions, mezzanines, and raised floors, clearly indicate new and existing as well as connections		
Req	nstruction Detail" is an enlarged view (usually sectional) of a critica Prov	I construction element	
Gene	Microfilmable lettering and plan quality (3/4" = 1' or larger	is commonly used for	
Roof I	construction detail so detail is clearly presented)  Details		
	Scupper Box Parapet/Cornice Detail Roof Deck details if used Roof framing detail Roof vent Roof drain and overflow		
Floor	<u>Details</u>		
	Floor framing, fire resistive assembly Floor deck details, if used (fire resistive assembly, vents railing Window well details, if used (width, height, and egress ladde		
Wall E		<i>'</i>	
	<ul> <li>Wall framing, fire resistive assembly</li> <li>Stair/elevator shaft wall details</li> <li>Occupancy separation wall details</li> <li>Type of construction wall details</li> </ul>		
<u>Stair</u>	<u>Detail</u>		
	Rise and run dimensions (Winders, spirals, or other unusual a detailed plan as well).  Dimension headroom height Handrail information (grasp requirements, extensions, and regular control of the control	eturns)	
Land	scape Plan – DR 13-92 (if modifying or changing landscape areas)		
	Lot Area Total square footage of: 1) required open space; 2) provide required landscaped area.	ed open space and 3)	
	Number of trees, number of shrubs and quantity of ground control List common and botanical names of all plant material  For parking lots and all other required landscaped areas	·	
	planting area and location of vehicle stops  If existing plants are required to be retained, show location indicate how the plants will be protected during demolition are		

Revised 2/24/04 Page 10 of 14

Req Prov  For roof top container landscaping: a schematic irrigation and drainage plan; size and depth of plant containers  Specifications for soil improvement  For street trees: width of planting strip; existing utility lines, poles or meters; and structures located within the planting strip; and species and diameter of the trees  STRUCTURAL PLANS – Provide the following if modifying or adding structural elements (Identify new and existing)  Structural Notes  Req Prov  General Notes  Reinforced Concrete Masonry Notes  Steel Floor/Roof Deck Notes				
and depth of plant containers  Specifications for soil improvement For street trees: width of planting strip; existing utility lines, poles or meters; and structures located within the planting strip; and species and diameter of the trees  STRUCTURAL PLANS – Provide the following if modifying or adding structural elements (Identify new and existing)  Structural Notes  Req Prov General Notes Reinforced Concrete Masonry Notes				
For street trees: width of planting strip; existing utility lines, poles or meters; and structures located within the planting strip; and species and diameter of the trees  STRUCTURAL PLANS – Provide the following if modifying or adding structural elements (Identify new and existing)  Structural Notes  Req Prov  General Notes  Reinforced Concrete Masonry Notes				
structures located within the planting strip; and species and diameter of the trees  STRUCTURAL PLANS – Provide the following if modifying or adding structural elements (Identify new and existing)  Structural Notes  Req Prov  General Notes  Reinforced Concrete Masonry Notes				
Structural Notes  Req Prov  General Notes  Reinforced Concrete Masonry Notes				
Req Prov  General Notes Reinforced Concrete Masonry Notes				
General Notes Reinforced Concrete Masonry Notes				
Reinforced Concrete Masonry Notes				
Steel Floor/Roof Deck Notes				
Cast-In-Place Concrete Notes				
Concrete Reinforcement Notes				
Post-tensioned Concrete Notes				
Structural Steel Notes				
Cold-Formed Steel Framing Steel Stairs				
Wood Framing Notes				
Shop fabricated wood joists, beams and trusses				
Testing and Inspection notes				
Design Criteria				
Code Edition (Such as year)				
Floor Dead Load and Live Load				
Roof Dead Load and Snow Load				
Wind Exposure and Speed				
Seismic Zone and Rw				
Soil Bearing Capacity				
Foundation Plan				
General Information				
North Arrow				
Microfilmable lettering and plan quality				
Reference call-outs for cross sections and details				
Footing and foundation information				
U Overall dimensions				
Location and dimensions of columns				
Dimension and locate spread footings (Or provide footing Schedule).				
Dimension continuous footings or grade beams and foundation walls (width, height) or reference detail.				

Revised 2/24/04 Page 11 of 14

Footing a	nd foundation information - continued
Req Prov	Show thickness of slab Show post below floor framing Locate and identify all steps in footing, retaining walls and/or foundation Show hold-down location and size Show all shearwalls, indicate construction detail including nailing schedule Show locations of Pile and Pile Caps
Floor Fra	nming Plans
General In	
	North Arrow Microfilmable lettering and plan quality Reference call-outs for cross sections and details Identify floor (1st Floor, 10th Floor, etc.) and framing level Size and spacing of framing members (i.e. joists, beams) Size and span of headers, beams, etc. Dimension and size of framing around openings in floors, ceilings and other horizontal diaphragms. Locate all beams, columns and bearing walls Show all ledger connections Show all shearwalls, indicate construction detail including nailing schedule Show all diaphragms, indicate construction detail including nailing schedule Show steel Moment Frames/Braced Frames Specify concrete floor slab thickness, rebar size and spacing Show rebar information around openings in floor Show all concrete shearwalls and their rebar information or provide rebar schedule. Show all concrete post-tensioned floor tendon or rebar information Show concrete column cap
Roof Fra	ming Plan
General In	<u>formation</u>
	North Arrow Microfilmable lettering and plan quality Reference call-outs for cross sections and details
Framing li	nformation
	Specify header/beam, joist sizes and span Specify truss span, spacing, type Specify all diaphragms indicate construction detail including nailing/blocking Specify size of framing around roof openings and other horizontal diaphragms. Show Steel Moment Frames/Braced Frame Specify steel deck/concrete diaphragm Specify concrete roof slab thickness, rebar size and spacing Show rebar information around openings in roof

Revised 2/24/04 Page 12 of 14

<u>Frami</u>	ing Inf	ormation - continued
Req	Prov	
		Show all concrete shearwalls and their rebar information or provide rebar
		schedule.
	$\mathbb{H}$	Show all post-tensioned concrete roof tendon and rebar information
		Show concrete column cap
Struc	ctural	<b>Details</b>
Foun	ndatior	n/Basement Wall/Retaining Wall Details
		Fully dimension
		Detail differing conditions (reference to detail required on foundation plan)
		Specify connection to post, beams, etc.
		Specify footing depth below grade
		Indicate depth of cut in relation to the property line
		Specify footing/wall rebar location and size or provide rebar schedule
		Specify connection to post, beams, etc.
		Show concrete/steel column elevation details
		Specify column rebar detail or provide rebar schedule
		Elevator pit detail
		Show approximate location of footings of building(s) on adjacent properties
<u>Floor</u>	Frami	ng Detail
		Sheathing material, thickness and connection, steel deck material and/or slab
		thickness and rebar
H	$\mathbb{H}$	Show structural members and their connections
$\square$	$\square$	Provide concrete beam elevation and rebar details
		Foundation information or reference to separate detail
$\square$	$\mathbb{H}$	Fire Resistive Assembly requirements
Choo	mwell F	Steel light gage framing details
Snear	rwall D	
		Show all Shearwall construction and assembly details Shearwall schedule
H	H	
H	H	Sheathing material, thickness Required nail size, spacing
H	H	Top and bottom plate connection to diaphragm
H	H	Design capacity
		Floor to floor transfer details (hold down strap details)
		Diaphragm to shearwall connections
Misce	ellanec	ous Details
		Rockery/ecoblock cross section
	H	Rated wall construction details if not provided elsewhere
	H	Masonry veneer connection detail if not shown on wall details
	H	Ledger connection (member size, connection size, and spacing) if not provided on
		framing plan

Revised 2/24/04 Page 13 of 14

### Watch For:

- 1. **Excavation exceeding 1H:1V from a property line** may require a cross-sectional detail. When necessary, bottom of footing elevations may be required on the Foundation Plan.
- 2. If an **elevator** is proposed, a detail section of the elevator shaft is required. Elevator notes are also required.

Revised 2/24/04 Page 14 of 14